



HHXX7.EX15336

Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze Certified for Canada

Page Bottom

Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze Certified for Canada

See General Information for Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze Certified for Canada

PANNEXT FITTINGS CORP

EX15336

SUITE 226
8989 WESTHEIMER
HOUSTON, TX 77063 USA

Malleable Iron Threaded Fittings (ANSI/ASME B16.3)

Fittings fabricated with dimensional specifications in accordance with ANSI/ASME B16.3

Model/Fig.	Configuration	Size (in.)	Rated Pressure (psig)
—	90° Straight Elbows	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
—	45° Straight Elbows	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
—	90° Reducing Elbows	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3	300
—	Straight Tees	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
—	Reducing Tees	1/4, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
—	Crosses	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2	300
—	Straight Couplings	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
—	Reducing Couplings	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
—	90° Street Elbows	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
—	45° Street Elbows	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
—	Caps	1/8, 1/4, 3/8, 1/2, 3/4, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300

Ferrous Pipe Plugs, Bushings and Locknuts with Pipe Threads (ANSI/ASME B16.14)

Fittings fabricated with dimensional specifications in accordance with ANSI/ASME B16.14

Model/Fig.	Configuration	Size (in.)	Rated Pressure (psig)
—	Plugs	1/8, 1/4, 3/8, 1/2, 3/4, 1-1/4	300
—	Reducing Bushings	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, 4	300

Malleable Iron Threaded Pipe Unions (ANSI/ASME B16.39)

Fittings fabricated with dimensional specifications in accordance with ANSI/ASME B16.39

Model/Fig.	Configuration	Size (in.)	Rated Pressure (psig)
—	Unions	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300

Last Updated on 2008-03-03

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

Copyright © 2008 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2008 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.





HHXX7.EX6393 Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze Certified for Canada

Page Bottom

Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze Certified for Canada

See General Information for Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze Certified for Canada

PANNEXT PIPE FITTING CO LTD
236 W GUANGMING RD
LANGFANG, HEBEI 102800 CHINA

EX6393

Malleable Iron Threaded Fittings (ANSI/ASME B16.3)

Class 150 Malleable Iron Fittings fabricated with dimensional specifications in accordance with ANSI/ASME B16.3

Model	Configuration	Size, in.	Rated Pressure, kPa
—	90° Elbows	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	2068
—	45° Elbows	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	2068
—	90° Reducing Elbows	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 1/2 x 1/8, 2-1/2 x 1-1/4	2068
—	Tees	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	2068
—	Reducing Tees	1/4, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 3/4 x 1/2 x 1	2068
—	Crosses	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2	2068
—	Couplings	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	2068
—	Reducing Couplings	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	2068
—	90° Street Elbows	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	2068
—	45° Street Elbows	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	2068
—	Caps	1/8, 1/4, 3/8, 1/2, 3/4, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	2068

Class 300 Malleable Iron Fittings fabricated with dimensional specifications in accordance with ANSI/ASME B16.3

Model	Configuration	Size, in.	Rated Pressure, kPa
-	Straight Couplings	1/2, 3/4, 1	13800
-	Straight Couplings	1-1/4, 1-1/2, 2	10345
-	90° Straight Elbows	1/2, 3/4, 1	13800
-	90° Straight Elbows	1-1/4, 1-1/2, 2	10345
-	45° Straight Elbows	1/2, 3/4, 1	13800
-	45° Straight Elbows	1-1/4, 1-1/2, 2	10345
-	Tee	1/2, 3/4, 1	13800
-	Tee	1-1/4, 2	10345
-	Cap	1/2, 3/4, 1	13800
-	Cap	1-1/4, 1-1/2, 2	10345

Cast Iron Fittings (ANSI/ASME B16.15)

Class 125 Cast Iron Fittings fabricated with dimensional specifications in accordance with ANSI/ASME B16.15

Model	Configuration	Size, in.	Rated Pressure, kPa

-	Straight Coupling	1/2, 3/4, 1, 1-1/4, 1-1/2, 2	1380
-	90° Elbow	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2	1380
-	45° Elbow	1/2, 3/4, 1, 1-1/4, 1-1/2, 2	1380
-	Tee	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2	1380
-	Cap	1/2, 3/4, 1, 1-1/4, 1-1/2, 2	1380
-	90° Reducing Elbow	1/2 x 1/4, 1/2 x 3/8, 3/4 x 1/2, 1 x 1/2, 1 x 3/4, 1-1/4 x 1/2, 1-1/4 x 3/4, 1-1/4 x 1, 1-1/2 x 3/4, 1-1/2 x 1, 2 x 1, 2 x 1-1/4, 2 x 1-1/2	1380
-	Reducing Coupling	1/2 x 3/8, 3/4 x 1/2, 1 x 1/2, 1 x 3/4, 1-1/4 x 3/4, 1-1/4 x 1, 1-1/2 x 3/4, 1-1/2 x 1, 1-1/2 x 1-1/4, 2 x 1, 2 x 1-1/4, 2 x 1-1/2	1380
-	90° Street Elbow	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2	1380
-	45° Street Elbow	1/2, 3/4, 1, 1-1/4, 1-1/2, 2	1380
-	Reducing Tee	1/2 x 1/2 x 1/4, 3/4 x 3/4 x 1/2, 1 x 1 x 1/2, 1 x 1 x 3/4, 1-1/4 x 1-1/4 x 1/2, 1-1/4 x 1-1/4 x 3/4, 1-1/4 x 1-1/4 x 1, 1-1/2 x 1-1/2 x 1/2, 1-1/2 x 1-1/2 x 3/4, 1-1/2 x 1-1/2 x 1, 1-1/2 x 1-1/2 x 1-1/4, 2 x 2 x 3/4, 2 x 2 x 1, 3/4 x 1/2 x 1/2, 3/4 x 1/2 x 3/4, 1 x 1/2 x 3/4, 1 x 3/4 x 3/4	1380

Ferrous Pipe Plugs, Bushings and Locknuts with Pipe Threads (ANSI/ASME B16.14)

Fittings fabricated with dimensional specifications in accordance with ANSI/ASME B16.14

Model	Configuration	Size, in.	Rated Pressure, kPa
—	Plugs	1/8, 1/4, 3/8, 1/2, 3/4, 1-1/4	2068
—	Reducing Bushings	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, 4	2068

Malleable Iron Threaded Pipe Unions (ANSI/ASME B16.39)

Fittings fabricated with dimensional specifications in accordance with ANSI/ASME B16.39

Model	Configuration	Size, in.	Rated Pressure, kPa
—	Unions	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	2068

Trademark and/or Tradename: 

Last Updated on 2008-09-02

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

Copyright © 2008 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2008 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

