NUNAVUT	YUKON	NORTHWEST TERRITORIES	C10010-00010000000000000000000000000000
MANUFACTURERS NAME:	Zhuji City Howhi Air C	Conditioners Made Co., Lld	-
MANUFACTURERS ADDRESS:	Jining Industrial Area,	Rusnehl Town, Zhuji City, Zhejiang Province, China	
PLANT LOCATIONS:	Jirling Industrial Area,	. Ruanshi Town, Zhuji City, Zhejiang Province, China	
A Pipe fittings, including coupling B Flanges: all flanges C Velves: all fine valves D Expansion joints, flexible conn E Strainers, filtars, separations, as F Measuring devices, including a pressure transmitters G Certified capacity-rated pressure boilers, pressure vessels, plair H Pressure retaining components	NGS TO BE REGISTEN ps. teen, elbows, Ys. play botions, and hose assort d sleam traps ressure gauges, level gaus re relief devices accepte g and frielde pluge that do not fall into one	IFD. CIRCLE DHE CATEGORY ONLY 193, uniona, pipe caps, or reducers ASME B Thiss: all types puges, sight glasses, levels, or able as primary over pressure protection on to the above categories	THE STANDARD OF CONSTRUCTION 16, 51
		(Mosting CNSC or ASME requirements)	
SHOW MANUFACTURERS NAME Zhuji City Howhi Air Conditioners M HOWHI	fiede Co., Ltd		WELBES O WROUGHT &
LIST OF SUPPORTING DOCUME		IP CATION OF THE ACTUAL ITEMS TO BE REGISTERED	
ECLARATION: He Ping	(see ANA 2) SITISTONES	ZHUJI CITT HOWHI AIR CONDITIONIES MADE CO	S, CTD
he Ying spansibility for the quality of the knowledge rapresents the properties at identification and administrative of these fittings is rein part and has been verified to	educt for which registr ation markings are in guisted by a Quality to C.C.I.C.	and being the persecutive and being the persecutive declare that the information contained in this for realon is eought. The dimensione, majorials of construence with the herein named standards. I further to control Program which extends to each plant where to	on having full euthority and in is true and to the best of lotion, pressure in declare that the shirtcation occurs in whole and I make this solome.
ponsibility for the quality of the knowledge represents the promote and identification and identification for the promote and identification for the promote and the promote a	e end product do sole duct for which registr ation markings are in guisted by e Quality to CC.I.C.	and being the persecutive declare that the information contained in this for ration is sought. The dimensione, majorials of construit accordance with the herein named standards. I further Control Program which extends to each plant where for the persons as being suilable for that purpose.	on having full euthority and in is true and to the best of lotion, pressure in declare that the shirtcation occurs in whole and I make this solome.
ponsibility for the quality of the knowledge represents the promperature ratings, and identific anufacture of these fittings is re in part and has been verified claration conecientiously believe the part of Declarer:	e end product do sole duct for which registr ation markings are in guisted by e Quality to CC.I.C.	and being the personnly declare that the information contained in this for realor is cought. The dimensione, materials of construence accordance with the herein named standards. I further Control Program which extends to each plant where is as being suitable for that purpose knowing that it is of the same force and effect as if materials.	on having full euthority and in is true and to the best of iction, pressure or declare that the abrication occurs in whole and I make this solemn ade under oath.
sponsibility for the quality of the knowledge represents the properties and identification and and has been verified before mediately believed the properties of the propertie	e end product do sole duct for which registr ation markings are in gulated by e Quality if y CC-IC ring it to be true, and v. Zhellang province. Ch	and being the personnly declare that the information contained in this formation is sought. The dimensione, materials of construent accordance with the herein named standards. I further accordance with the seminal standards is formationally accordance with the seminal standards and standards in the seminal standards. **Discrete the seminal standards are standards and standards are standards. **Discrete the standards are standards and standards are standards are standards.** **Discrete the standards are standards are standards are standards are standards are standards.** **Discrete the standards are standards are standards are standards are standards.** **Discrete the standards are standards are standards are standards.** **Discrete the standards are standards are standards.** **Discrete the standards are standards are standards.** **Discrete the standards are standards.** **Dis	on having full euthority and in is true and to the best of iction, pressure or declare that the abrication occurs in whole and I make this solemn ide under oath.
sponsibility for the quality of the r knowledge represents the pro- imperature ratings, and identific incuracture of those fittings is re in part and has been verified b claration conecientiously believe the ture of Declarer:	e end product do sole oduct for which registr ation markings are in guilated by a Quasity CLIC ring it to be true, and V. Zhellana arovince. Ch	and being the personnly declare that the information contained in this formation is sought. The dimensione, materials of construent accordance with the herein named standards. I further accordance with the seminal standards is formationally accordance with the seminal standards and standards in the seminal standards. **Discrete the seminal standards are standards and standards are standards. **Discrete the standards are standards and standards are standards are standards.** **Discrete the standards are standards are standards are standards are standards are standards.** **Discrete the standards are standards are standards are standards are standards.** **Discrete the standards are standards are standards are standards.** **Discrete the standards are standards are standards.** **Discrete the standards are standards are standards.** **Discrete the standards are standards.** **Dis	on having full euthority and in is true and to the best of iction, pressure or declare that the abrication occurs in whole and I make this solemn ide under oath.
sponsibility for the quality of the knowledge represents the promperature ratings, and identification of the promperature of these fittings is rein part and has been verified belaration conscientiously believed the part and the promperature of Declarer: Clared before me at	e end product do sole oduct for which registr ation markings are in gulated by e Quasity i y ring it to be true, and i y y Zhellana arevinee. Ch	and being the personnel of being the personnel of security declare that the information contained in this for relifor is cought. The dimensione, materials of construent accordance with the herein named standards. I further control Program which extends to each plant where is as being suitable for that purpose is knowing that it is of the same force and effect as if materials are the control of the same force and effect as if materials are control	on having full euthority and mis true and to the best of cition, pressure or declare that the abrication occurs in whole and I make this solemn ade under oath.
sponsibility for the quality of the knowledge represents the properties of the prope	e end product do sole oduct for which registr ation markings are in gulated by e Quasity i y ring it to be true, and i y y Zhellana arevinee. Ch	and being the personnel of the personnel deciare that the information contained in this for realion is accordance with the herein named standards. I furthe Control Program which extends to each plant where the as being suitable for that purpose is knowing that it is of the same force and effect as it may be a seen to be a seen and effect as it is not the same force a	on having full euthority and m is true and to the best of cition, pressure or declare that the abrication occurs in whole and I make this solemn ade under oath.
sponsibility for the quality of the knowledge represents the promperature ratings, and identification and and may be envertised to claration conecientiously believed the part and may be envertised to claration conecientiously believed the part and may be envertised to claration conecientiously believed the part and	e end product do sole duct for which registration markings are in guilated by e Quelle y CC-IC ring it to be ince, and in y CC-IC ring it to be ince, and in y CC-IC ring it to be ince, and in y CC-IC ring it to be ince, and in y CC-IC ring it to be ince. Chapter in the incention of the incentio	and being the personnel declare that the information contained in this for realion is cought. The dimensione, materials of construence accordance with the herein named standards. I further accordance with the herein named standards. I further the control Program which extends to each plant where the abeing suitable for that purpose is knowing that it is of the same force and effect as if materials. U.S.E.T.H.I.S.S.F.A.C.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.F.I.C.I.A.L.D.F.I.D.F.I.C.I.A.L.D.F.I.D.F	on having full euthority and m is true and to the best of cition, pressure or declare that the abrication occurs in whole and I make this solemn ade under oath.

NUNAVUT	YUKON	NORTHWEST TERRITORIES	
MANUFACTURERS NAME:	Zhuji City Howhi Al	Nr Conditioners Made Co., Ltd	
MANUFACTURERS ADDRESS:	Jinling Industrial Ar	res, Ruanshi Town, Zhuji City, Zhejiang Provin	ce, China
PLANT LOCATIONS:	the state of the latest and the state of the	rea, Ruanshi Town, Zhuji City, Zhejiang Provin	ce, China
Pipe fittings, including coupling Flanges: all flanges Valves: all flanges Valves: all fine valves Expansion joints, flaxible conn Strainers, filters, separators, a Measuring devices, including pressure transmitters	gs, lees, elbows, Ys, ections, and hose as nd steam traps breasure gauges, leve are relief devices accura ng and fusible plugs	el çauges, sight glasses, levels, or explable as primary over pressure protection on	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.51
		s 3 D, (Meeting CNSC or ASME requirements	
		R LOGO AS IT WILL APPEAR ON THE PROJ	
Zhuji City Howhi Air Conditioners HOWHI		4	FORGED O WELDED O WAGUIGHT SE CAST O OTHER O DESCRIBE OTHER:
		HOWHI'	
ECLARATION:		ZHUTI CITT HOWHI AIR CONDITIO	ONERS MADE CO., LTD
sponsibility for the quality of the y knowledge represents the properture ratings, and identificant anufacture of these fittings is a in part and has been verified	oduct for which rep cation markings an egulated by a Qua byCC	solemnly declare that the information con gistration is sought. The dimensions, ma re in accordance with the herein named st ality Control Program which extends to ea	d being the person having full authority ar tained in this form is true and to the best of tarials of construction, pressure tandards. I further declare that the ch plant where fabrication occurs in whole for that purpose and I make this solemn
sponsibility for the quality of the y knowledge represents the purious anufacture of these fittings is in part and has been verified iclaration conscientiously belief	ne end product do so roduct for which reposition markings an regulated by a Qua byCC	one by solution of the information con a solution is sought. The dimensions, make in accordance with the herein named stallity Control Program which extends to each as being suitable to see the solution of the suitable to see the seed of the suitable to see the seed of	d being the person having full authority an tained in this form is true and to the best of terials of construction, pressure tandards. I further declare that the ch plant where fabrication occurs in whole for that purpose and I make this solemn
sponsibility for the quality of the y knowledge represents the puring and the anufacture of these fittings is in part and has been verified claration conscientiously belief gnature of Declarer:	ne end product do so roduct for which reposition markings an regulated by a Qua byCC	loyed by	d being the person having full authority an tained in this form is true and to the best of terials of construction, pressure tandards. I further declare that the ch plant where fabrication occurs in whole for that purpose and I make this solemn
esponsibility for the quality of the positive represents the properties of these fittings is a fine part and has been verified ecleration conscientiously believed and the properties of Declarer:	ne end product do soduct for which recetion markings an egulated by a Quaby Coronal it to be true, a	an solemnly declare that the information con solemnly declare that the information con agistration is sought. The dimensions, mare in accordance with the herein named stallity Control Program which extends to each of the same force and knowing that it is of the same force as a china.	d being the person having full authority an tained in this form is true and to the best of tarials of construction, pressure tandards. I further declare that the ch plant where fabrication occurs in whole for that purpose and I make this solemn and effect as if made under oath.
esponsibility for the quality of the ny knowledge represents the purper students amperature ratings, and identifications is a anufacture of these fittings is a in part and has been verified acceptation conscientiously belief gnature of Declarer:	ne end product do soduct for which repeation markings an egulated by a Quaby. Coving it to be true, a coving it to be true.	an solemnly declare that the information con solemnly declare that the information con agistration is sought. The dimensions, mare in accordance with the herein named stallity Control Program which extends to each of the same force and knowing that it is of the same force as a china.	d being the person having full authority an tained in this form is true and to the best of tarials of construction, pressure tained and in the term of the the chiptant where fabrication occurs in whole for that purpose and I make this solemn and effect as if made under oath. ISSPACE FEE:
esponsibility for the quality of the process of the	ne end product do soduct for which recetion markings an egulated by a Quaby Control of the true, and the true of the true, and the true of the true, and the true of the true, and true of the true of true of the true of	loyed by	d being the person having full authority at tained in this form is true and to the best of tarials of construction, pressure tandards. I further declare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect as if made under oath. ISSPACSFACSFACSFACSFACSFACSFACSFACSFACSFACSF
sponsibility for the quality of the knowledge represents the pumperature ratings, and identifications is in part and has been verified eclaration conscientiously belief gnature of Declarer: Continue	ne end product do soduct for which recetion markings an egulated by a Quaby Control of the true, and the true of the true, and the true of the true, and the true of the true, and true of the true of true of the true of	loyed by	d being the person having full authority at tained in this form is true and to the best of tarials of construction, pressure tandards. I further declare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect as if made under oath. ISSPACSFACSFACSFACSFACSFACSFACSFACSFACSFACSF
sponsibility for the quality of the yknowledge represents the pumperature ratings, and identificant for these fittings is a in part and has been verified in	ne end product do soduct for which recetion markings an egulated by a Quaby Coving it to be true, and the coving it to be received and the coving i	loyed by	d being the person having full authority at tained in this form is true and to the best of tarials of construction, pressure tandards. I further declare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect as if made under oath. ISSPACSFACSFACSFACSFACSFACSFACSFACSFACSFACSF
sponsibility for the quality of the knowledge represents the properties of these fittings is a light in part and has been verified in cleration conscientiously belief gnature of Declarer: Zhui C Zhui C July	ne end product do soduct for which recetion markings an egulated by a Quaby Coving it to be true, and the coving it to be received and the coving i	loyed by	d being the person having full authority at tained in this form is true and to the best of tarials of construction, pressure tandards. I further declare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect as if made under oath. ISSPACSFACSFACSFACSFACSFACSFACSFACSFACSFACSF
sponsibility for the quality of the knowledge represents the properties of these fittings is a linear and identification of these fittings is a linear and has been verified aderation conscientiously believed and before me at the linear and li	ne end product do soduct for which recetion markings an egulated by a Quaby Coving it to be true, and the coving it to be received and the coving i	loyed by solemity declare that the information con solemity declare that the information con igistration is sought. The dimensions, marging that it is of the herein named stality Control Program which extends to each of the same force and knowing that it is of the same force and knowing that it is of the same force and control in the	d being the person having full authority an tained in this form is true and to the best of tarials of construction, pressure taindards. I further declare that the chiptant where fabrication occurs in whole for that purpose and I make this solemn and effect as if made under oath. ISSPACE FOR THE TOTAL OF A I
esponsibility for the quality of the processor of the processor of the part and has been verified eclaration conscientiously believed and the processor of the part and has been verified eclaration conscientiously believed and the processor of the part and has been verified eclaration conscientiously believed and the processor of the part and the processor of th	to end product do soduct for which recetion markings an egulated by a Quaby Color of the sound o	loyed by solemity declare that the information con a solemity declare that the information con a solemity control is sought. The dimensions, male in accordance with the herein named stality Control Program which extends to each in the same force and knowing that it is of the same fo	d being the person having full authority antained in this form is true and to the best of tarials of construction, pressure landards. I further declare that the chiptant where fabrication occurs in whole for that purpose and I make this solemn and effect as if made under oath. ISSPACSENDED FICTAL DEST

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Zhuji City Howhi Ai	ir Conditioners Made Co., Ltd	
MANUFACTURERS ADDRESS:	Jinling Industrial Ar	rea, Ruanshi Town, Zhuji City, Zhejiang Provins	ce, China
PLANT LOCATIONS:	Jinling Industrial Are	ea, Ruanshi Town, Zhuji City, Zhejiang Province	ce, China
CATEGORY OF FITTIN	NGS TO BE REGIST	ERED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conne E Strainers, filters, separators, an Measuring devices, including pr pressure transmitters G Certified capacity-rated pressur boilers, pressure vessels, pipin H Pressure retaining components	ections, and hose assets of steam traps ressure gauges, leve are relief devices acces and fusible plugs and fusible plugs that do not fall into o	el gauges, sight glasses, levels, or eptable as primary over pressure protection on one of the above categories	ASME B16.51
		s 3 □, (Meeting CNSC or ASME requirements)	
HOW MANUFACTURERS NAME	E, TRADEMARK, OR	LOGO AS IT WILL APPEAR ON THE PROD	
Chuji City Howhi Air Conditioners N HOWHI	Made Co., Ltd	(a)	FORGED WELDED WROUGHT & CAST OTHER DESCRIBE OTHER.
		HOWHI'	
CLARATION: He Pine	80 Santa 2004	ZHUJI CITY HOWHI AIR CONDITIO	WERS MADE CO., LYD
ponsibility for the quality of the knowledge represents the properature ratings, and identific	oduct for which reg cation markings are	oyed byand solemnly declare that the information cont gistration is sought. The dimensions, mat e in accordance with the herein named sta	I being the person having full authority and ained in this form is true and to the best of erials of construction, pressure andards. I further declare that the
sponsibility for the quality of the knowledge represents the properature ratings, and identificantificature of these fittings is rein part and has been verified by	e end product do s oduct for which reg cation markings are egulated by a Qual	oyed byand solemnly declare that the information cont gistration is sought. The dimensions, mate in accordance with the herein named stallity Control Program which extends to each if C as being suitable for	I being the person having full authority and ained in this form is true and to the best of erials of construction, pressure andards. I further declare that the the plant where fabrication occurs in whole or that purpose and I make this solemn.
ponsibility for the quality of the knowledge represents the properature ratings, and identification for these fittings is rein part and has been verified by	e end product do s oduct for which reg cation markings are egulated by a Qual	oyed byand solemnly declare that the information cont gistration is sought. The dimensions, mat e in accordance with the herein named sta lity Control Program which extends to each	I being the person having full authority and ained in this form is true and to the best of erials of construction, pressure andards. I further declare that the the plant where fabrication occurs in whole or that purpose and I make this solemn.
sponsibility for the quality of the knowledge represents the pro- mperature ratings, and identificant facture of these fittings is re in part and has been verified be claration conscientiously believe.	e end product do s oduct for which reg cation markings are egulated by a Qual	oyed byand solemnly declare that the information cont gistration is sought. The dimensions, mate in accordance with the herein named stallity Control Program which extends to each if C as being suitable for	d being the person having full authority and ained in this form is true and to the best of erials of construction, pressure andards. I further declare that the the plant where fabrication occurs in whole or that purpose and I make this solemn.
ponsibility for the quality of the knowledge represents the properature ratings, and identification of these fittings is rein part and has been verified betaration conscientiously believed the properature of Declarer:	e end product do s oduct for which reg cation markings are egulated by a Qual	solemnty declare that the information cont gistration is sought. The dimensions, mate in accordance with the herein named stallity Control Program which extends to each LC as being suitable to and knowing that it is of the same force and	d being the person having full authority and ained in this form is true and to the best of erials of construction, pressure andards. I further declare that the th plant where fabrication occurs in whole or that purpose and I make this solemn
sponsibility for the quality of the knowledge represents the proper the proper transport of these fittings is represented by the properties of these fittings is represented by the part and has been verified by claration conscientiously believed the properties of Declarer: The properties of the pr	ee end product do soduct for which regulation markings are egulated by a Qual by CC wing it to be true, a	solemnty declare that the information cont gistration is sought. The dimensions, mate in accordance with the herein named statisty Control Program which extends to eat and knowing that it is of the same force and control.	I being the person having full authority and ained in this form is true and to the best of erials of construction, pressure andards. I further declare that the the plant where fabrication occurs in whole or that purpose and I make this solomn.
ponsibility for the quality of the knowledge represents the properature ratings, and identification of these fittings is reported to the properature of these fittings is reported to the properature of these fittings is reported to the properature of the properation conscientiously believed to the properation of the	e end product do soduct for which registron markings are egulated by a Qual by CC wing it to be true, a	solemnly declare that the information control gistration is sought. The dimensions, mate in accordance with the herein named stallity Control Program which extends to each IC as being suitable to and knowing that it is of the same force and control Program which extends to each solemn suitable to and knowing that it is of the same force and control Program which extends to each solemn suitable to the same force and control Program which extends to each solemn suitable to the same force and control Program which extends to the same force and control Program which extends to the same force and control Program which extends to the same force and control Program which extends to the same force and control Program which extends to each sole progr	being the person having full authority and ained in this form is true and to the best of crials of construction, pressure andards. I further declare that the hiplant where fabrication occurs in whole or that purpose and I make this solemn of effect as if made under cath.
sponsibility for the quality of the knowledge represents the proper three fittings is represented the proper three fittings is represented the proper three fittings is represented the properties of these fittings is represented the properties of	ee end product do soduct for which regulation markings are egulated by a Qual by CC wing it to be true, a	solemnty declare that the information control gistration is sought. The dimensions, mate in accordance with the herein named stallity Control Program which extends to each LC as being suitable to and knowing that it is of the same force and control Program which extends to each LC as being suitable to and knowing that it is of the same force and control Program which extends to each local suitable to the same force and control Program which extends to the same force and control Program which extends to the same force and control Program which extends to the same force and control Program which extends to the same force and control Program which extends to the same force and control Program which extends to the same force and control Program which extends to each s	d being the person having full authority and ained in this form is true and to the best of crials of construction, pressure andards. I further declare that the high plant where fabrication occurs in whole or that purpose and I make this solemn of effect as if made under oath. Nouveau Nouveau OF JUSTICE PUBLIC SAFETY
sponsibility for the quality of the y knowledge represents the pro- mperature ratings, and identificantificantificantificantificantificantificantificantificantification of these fittings is re- in part and has been verified be claration conscientiously believe mature of Declarer:	ee end product do soduct for which regulation markings are egulated by a Qual by CC wing it to be true, a	solemnty declare that the information control gistration is sought. The dimensions, mate in accordance with the herein named stallity Control Program which extends to each LC as being suitable to and knowing that it is of the same force and control Program which extends to each LC as being suitable to and knowing that it is of the same force and control Program which extends to each local suitable to the same force and control Program which extends to the same force and control Program which extends to the same force and control Program which extends to the same force and control Program which extends to the same force and control Program which extends to the same force and control Program which extends to the same force and control Program which extends to each s	being the person having full authority and ained in this form is true and to the best of crials of construction, pressure andards. I further declare that the hiplant where fabrication occurs in whole or that purpose and I make this solemn of effect as if made under cath. Brunstick Progressian
sponsibility for the quality of the knowledge represents the properature ratings, and identification for these fittings is rein part and has been verified beclaration conscientiously believed the properature of Declarer: Clared before me at	e end product do s oduct for which reg cation markings are egulated by a Qual by	oyed by	Brussice Public Safety Brussice Public Public Safety Brussice Public Public Safety REGISTRATION ONLY
sponsibility for the quality of the knowledge represents the properature ratings, and identification for these fittings is rein part and has been verified beclaration conscientiously believed the properature of Declarer: Clared before me at	e end product do s oduct for which reg cation markings are egulated by a Qual by	solemnty declare that the information control gistration is sought. The dimensions, mate in accordance with the herein named statisty Control Program which extends to early as being suitable to and knowing that it is of the same force and accordance with the same force with the same force and accordance with the same force and accordance with the same force and accordance with the same force and ac	Brussey CK PT OF JUSTICE PUBLIC SAFETY ILER & PRESSURE VESSEL ACT REGISTRATION ONLY ained in this form is true and to the best of erials of construction, pressure and ards. I further declare that the the plant where fabrication occurs in whole or that purpose and I make this solemn of effect as if made under cath. REGISTRATION ONLY REGISTRATION ONLY ate of acceptance
sponsibility for the quality of the knowledge represents the properature ratings, and identification for these fittings is rein part and has been verified beclaration conscientiously believed the properature of Declarer: Clared before me at	e end product do soduct for which registron markings are egulated by a Qual by	solemnty declare that the information control gistration is sought. The dimensions, mate in accordance with the herein named statisty Control Program which extends to early as being suitable to and knowing that it is of the same force and accordance with the same force with the same force and accordance with the same force and accordance with the same force and accordance with the same force and ac	Brussice Public Safety Brussice Public Public Safety Brussice Public Public Safety REGISTRATION ONLY
sponsibility for the quality of the knowledge represents the properature ratings, and identification for these fittings is rein part and has been verified belaration conscientiously believed in the properature of these fittings is rein part and has been verified belaration conscientiously believed in the properation of the properation	e end product do soduct for which registron markings are egulated by a Qual by	solemnty declare that the information control gistration is sought. The dimensions, mate in accordance with the herein named statisty Control Program which extends to early as being suitable to and knowing that it is of the same force and accordance with the same force with the same force and accordance with the same force and accordance with the same force and accordance with the same force and ac	Brussel Public SAFETY Bressure To Justice Public SAFETY REGISTRATION ONLY ained in this form is true and to the best of crials of construction, pressure and ards. I further declare that the high plant where fabrication occurs in whole or that purpose and I make this solemn of effect as if made under cath. REGISTRATION ONLY REGISTRATION ONLY ate of acceptance
sponsibility for the quality of the knowledge represents the proper at t	e end product do soduct for which registron markings are egulated by a Qual by	solemnty declare that the information control gistration is sought. The dimensions, mate in accordance with the herein named statisty Control Program which extends to early as being suitable to and knowing that it is of the same force and accordance with the same force with the same force and accordance with the same force and accordance with the same force and accordance with the same force and ac	Brussel Pressure and to the best of erials of construction, pressure and area of the form is true and to the best of erials of construction, pressure and ards. I further declare that the shiplant where fabrication occurs in whole or that purpose and I make this solemn of effect as if made under eath. Brussel Pressure Public SAFETY ILLER & PRESSURE VESSEL ACT REGISTRATION ONLY are of acceptance AQDASS. SA
sponsibility for the quality of the knowledge represents the proper transport of these fittings is rein part and has been verified beclaration conscientiously believed the properties of these fittings is rein part and has been verified beclaration conscientiously believed the properties of the prope	e end product do soduct for which registron markings are egulated by a Qual by	solemnty declare that the information control gistration is sought. The dimensions, mate in accordance with the herein named statisty Control Program which extends to early as being suitable to and knowing that it is of the same force and accordance with the same force with the same force and accordance with the same force and accordance with the same force and accordance with the same force and ac	Brussey Public SAFETY ILER & PRESSURE VESSEL ACT REGISTRATION ONLY ained in this form is true and to the best of erials of construction, pressure and ards. I further declare that the end of the plant where fabrication occurs in whole or that purpose and I make this solemn of effect as if made under cath. REGISTRATION ONLY REGISTRATION ONLY ate of acceptance
ponsibility for the quality of the knowledge represents the proper the proper transport of the knowledge represents the proper transport of these fittings is rein part and has been verified be claration conscientiously believed the property of the part and has been verified be claration conscientiously believed that the claration conscientiously believed to the claration consciention of the claration consciention consciention conscientions and the claration consciention consciention conscientions and claration conscientions are claration conscientions.	the name of the Manida with two Statutory	oyed by	Brussels Pressure Brussels Pres
sponsibility for the quality of the knowledge represents the properature ratings, and identification for these fittings is rein part and has been verified belaration conscientiously believed in the properature of these fittings is rein part and has been verified belaration conscientiously believed in the properation of the properation	the name of the Manic with two Statutory occurrentation.	and solemnly declare that the information contiguistration is sought. The dimensions, mate in accordance with the herein named stality Control Program which extends to each of the same force and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and knowing that it is of the same force and solen and so	Brussel Presentation only and being the person having full authority and ained in this form is true and to the best of erials of construction, pressure and ards. I further declare that the ship plant where fabrication occurs in whole or that purpose and I make this solemn of effect as if made under eath. Brussel Pressure Vessel ACT REGISTRATION ONLY ate of acceptance AQDASS.SA CHIEF BOILER INSPECTOR DATE 1/11/Q019

NEW BRUNSWICK NUNAVUT	YUKON	NORTHWEST TERRITORIES	
MANUFACTURERS NAME:	Zhuji City Howhi Air Cor	nditioners Made Co., Ltd	
MANUFACTURERS ADDRESS:	Jinling Industrial Area, R	Ruanshi Town, Zhuji City, Zhejiang Province, C	hina
PLANT LOCATIONS:	Jinling Industrial Area, R	tuanshi Town, Zhuji City, Zhejiang Province, Cl	hina
CATEGORY OF FITTING A Pipe fittings, including couplings B Flanges: all flanges	GS TO BE REGISTERED	D. CIRCLE ONE CATEGORY ONLY	ASME B16.51
H Pressure retaining components to	f steam traps essure gauges, level gauge erelief devices acceptable and fusible plugs hat do not fall into one of	ges, sight glasses, levels, or le as primary over pressure protection on If the above categories	
N Nuclear components: Class 1	Class 2 Class 3 C.	(Macting CNSC or ASME requirements)	
SHOW MANUFACTURERS NAME.	TRADEMARK, OR LOG	O AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
Zhuji City Howhi Air Conditioners Ma HOWHI	ide Cc., Ltd	(a)	FORGED WELDED WROUGHT g' CAST OTHER D DESCRIBE OTHER
	H	CATION OF THE ACTUAL ITEMS TO BE RE	
CLARATION: U Diag		ZHUJI CITY HOWH! AIR CONDITIONERS	
ponsibility for the quality of the e knowledge represents the produ- perature ratings, and identificeti nufacture of these fittings is regul p part and has been verified by	on markings are in accided by a Quality Cor	and being by declare that the information contained on is sought. The dimensions, materials coordance with the herein named standard nitrol Program which extends to each plan as heing suitable for their	g the person having full euthority and in this form is true and to the best of of construction, pressure ts. I further declare that the it where fabrication occurs in whole
ponsibility for the quality of the e knowledge represents the produ- perature ratings, and identificeti nufacture of these fittings is regul p part and has been verified by	and product do solemn act for which registration on markings are in accurated by a Quality Cor	and being the declare that the information contained on is sought. The dimensions, materials coordance with the herein named standard nor Program which edends to each plan	g the person having full euthority and in this form is true and to the best of of construction, pressure ts. I further declare that the it where fabrication occurs in whole
ponsibility for the quality of the e knowledge represents the produ- perature ratings, and identificetic purfacture of these fittings is regu- n part and has been verified by laration conscientiously believing	and product do solemn act for which registration on markings are in accurated by a Quality Cor	and being by declare that the information contained on is sought. The dimensions, materials coordance with the herein named standard nitrol Program which extends to each plan as heing suitable for their	g the person having full euthority and in this form is true and to the best of of construction, pressure ts. I further declare that the it where fabrication occurs in whole
ponsibility for the quality of the e knowledge represents the proof- perature ratings, and identification nufacture of these fittings is regul to part and has been verified by laration conscientiously believing that the property of the proof of the pro- tage of the property of the pro-	and product do solemn act for which registration on markings are in accurated by a Quality Cor	and being the declare that the information contained on is sought. The dimensions, materials soordance with the herein named standard notrol Program which extends to each plan as being suitable for that pwing that it is of the same force and effective.	g the person having full authority and in this form is true and to the best of of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn of as if made under oath.
ponsibility for the quality of the eknowledge represents the proof, persented the proof of the eknowledge represents the eknowledge rep	and product do solemniust for which registration markings are in aculated by a Quality Coronic of the true, and known of the true, and known of the true, and known or true true.	and being any declare that the information contained on is sought. The dimensions, materials scordance with the herein named standard netrol Program which extends to each plan as being suitable for that towing that it is of the same force and effective or the same force and effective o	g the person having full authority and in this form is true and to the best of of construction, pressure is. I further declare that the at where fabrication occurs in whole purpose and I make this solemn ct as if made under oath.
ponsibility for the quality of the e knowledge represents the produ- perature ratings, and identification nufacture of these fittings is regulated the part and has been verified by laration conscientiously believing	and product do solemniust for which registration markings are in aculated by a Quality Corogin to be true, and known and the corogin to be true.	and being any declare that the information contained on is sought. The dimensions, materials scordance with the herein named standard netrol Program which extends to each plan as being suitable for that towing that it is of the same force and effective or the same force and effective o	g the person having full authority and in this form is true and to the best of of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn of as if made under oath.
ponsibility for the quality of the eknowledge represents the produce the produce of these fittings is regular and has been verified by laration conscientiously believing the produce of Declarer: State	and product do solerning to for which registration markings are in aculated by a Quality Corocal git to be true, and known and the common province. China	and being the discount of the control of the contro	g the person having full authority and in this form is true and to the best of of construction, pressure is. I further declare that the at where fabrication occurs in whole purpose and I make this solemn of as if made under oath. S.P.A.C.E.F.
ponsibility for the quality of the eknowledge represents the produce the produce of these fittings is regular and has been verified by laration conscientiously believing that the produce of Declarer: State	and product do solerning to for which registration markings are in aculated by a Quality Corocal git to be true, and known and the common province. China	and being the discount of the control of the contro	g the person having full authority and in this form is true and to the best of of construction, pressure its. I further declare that the it where fabrication occurs in whole purpose and I make this solemn ct as if made under oath. S.P.A.C.E.F.F.
ponsibility for the quality of the eknowledge represents the produce persure ratings, and identification part and has been verified by laration conscientiously believing the persure of Declarer:	and product do solerning to for which registration markings are in aculated by a Quality Corocal git to be true, and known and the common province. China	and being the property of the same force and effective that it is of	g the person having full authority and in this form is true and to the best of of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn of as if made under oath. S.P.A.C.E.F.
ponsibility for the quality of the eknowledge represents the proof, personally of the eknowledge represents the proof, and identification part and has been verified by laration conscientiously believing the part and has been verified by laration conscientiously believing laration conscientions and laration conscientions and laration conscientions are laration conscientions. This registration consciention conscientions are laration conscientions and laration conscientions. This registration consciention conscientions are laration conscientions. This registration consciention conscientions are laration conscientions. The laration consciention consciention conscientions are laration conscientions. The laration consciention consciention conscientions are laration conscientions. The laration consciention consciention consciention conscientions are laration conscientions. The laration consciention conscien	and product do solerning to for which registration markings are in aculated by a Quality Corocal git to be true, and known and the common province. China	and being the declare that the information contained on is sought. The dimensions, materials soordance with the herein named standard nord Program which extends to each plan as being suitable for that pwing that it is of the same force and effect o	g the person having full authority and in this form is true and to the best of of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn of as if made under oath. SPACE FOR TAXABLE PRODUCTION OF T
ponsibility for the quality of the eknowledge represents the proof, personally of the eknowledge represents the proof, and identification personal has been verified by laration conscientiously believing that the post and has been verified by laration conscientiously believing that the proof is regular to the personal laration conscientiously believing that the personal laration conscientiously believing that the personal laration conscientiously believing that the personal laration conscientions are personally that the personal laration conscientions are personal laration conscientions. This registration conscients are personal laration conscientions are personal laration conscientions. This registration consciention conscientions are personal laration conscientions are personal laration conscientions. The personal laration conscientions are personal laration conscientions are personal laration conscientions. The personal laration conscientions are personal laration conscientions are personal laration conscientions. The personal laration conscientions are personal laration conscientions are personal laration conscientions. The personal laration conscientions are personal laration conscientions are personal laration conscientions. The personal laration conscientions are personal laration conscientions are personal laration conscientions. The personal laration conscientions are personal laration conscientions are personal laration conscientions. The personal laration conscientions are personal laration conscientions are personal laration conscientions. The personal laration conscientions are personal laration conscientions are personal laration conscientions. The personal laration consciention	and product do solerning to for which registration markings are in aculated by a Quality Corocal git to be true, and known and the common province. China	and being the declare that the information contained on is sought. The dimensions, materials occrdance with the herein named standard notrol Program which extends to each plan as being suitable for that towing that it is of the same force and effect of the same force and effec	g the person having full authority and in this form is true and to the best of of construction, pressure its. I further declare that the its where fabrication occurs in whole purpose and I make this solemn of as if made under oath. S. P. A. C. F. F
ponsibility for the quality of the eknowledge represents the proof, personal personal personal represents the proof, and identification part and has been verified by laration conscientiously believing the part and has been verified by laration conscientiously believing laration conscientions and laration conscientions and laration conscientions are laration conscientions. This registration is a second consciention of the consciention consciention conscientions are laration conscientions. This registration consciention consciention conscientions are laration conscientions. The laration consciention consciention consciention consciention conscientions are laration conscientions. The laration consciention consciention consciention consciention consciention conscientions are laration consciention. The laration consciention conscien	rnd product do solemn uct for which registratio on markings are in aculated by a Quality Cor g it to be true, and kno Deliana province. China AD 2018 This space	and being the properties of the same force and effective that the information contained on is sought. The dimensions, materials to cordance with the herein named standard notrol Program which extends to each plan as being suitable for that towing that it is of the same force and effective that it is of the same force and eff	g the person having full authority and in this form is true and to the best of of construction, pressure its. I further declare that the at where fabrication occurs in whole purpose and I make this solemn of as if made under oath. S. P.A. C. E. F. C.
ponsibility for the quality of the eknowledge represents the produce the produce of these fittings is regular and has been verified by laration conscientiously believing the part and has been verified by laration conscientiously believing the part and has been verified by laration conscientiously believing the laration consciention of Declarer: 2	rnd product do solemn uct for which registratio on markings are in aculated by a Quality Cor g it to be true, and kno Deliana province. China AD 2018 This space	and being the properties of the same force and effective that the information contained on is sought. The dimensions, materials to cordance with the herein named standard notrol Program which extends to each plan as being suitable for that towing that it is of the same force and effective that it is of the same force and eff	g the person having full authority and in this form is true and to the best of of construction, pressure its. I further declare that the its where fabrication occurs in whole purpose and I make this solemn of as if made under oath. S P A C F F I I I I I I I I I I I I I I I I I
ponsibility for the quality of the eknowledge represents the production of the production of the extra personal identification of these fittings is regularation conscientiously believing that are of Declarer: State	rnd product do solemn uct for which registratio on markings are in aculated by a Quality Cor g it to be true, and kno Deliana province. China AD 2018 This space	and being the properties of the same force and effective that the information contained on is sought. The dimensions, materials to cordance with the herein named standard notrol Program which extends to each plan as being suitable for that towing that it is of the same force and effective that it is of the same force and eff	g the person having full authority and in this form is true and to the best of of construction, pressure its. I further declare that the at where fabrication occurs in whole purpose and I make this solemn of as if made under oath. S. P.A. C. E. F. C.

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Zhuji City Howhi Air (Conditioners Made Co., Ltd	
MANUFACTURERS ADDRESS.	Jinling Industrial Area	, Ruanshi Town, Zhuji City, Zhejiang Province	e, China
PLANT LOCATIONS:		, Ruanshi Town, Zhuji City, Zhejiang Province	e, China
Pipe fittings, including coupling B Flanges: all flanges C Valves: all fine valves D Expansion joints, flexible conn E Strainers, fitters, separators, a	gs, tees, elbows, Ys, plu ections, and hose asse nd steam traps		ASME B16.51
boilers, pressure vessels, pipir H Pressure retaining components	rre relief devices accept ng and fusible plugs s that do not fall into on	table as primary over pressure protection on e of the above categories	
		(Meeting CNSC or ASME requirements)	
Zhuji City Howhi Air Conditioners I HOWHI		OGO AS IT WILL APPEAR ON THE PROD	UCT TYPE OF CONSTRUCTION FORGED □ WELDED □ WROLIGHT N CAST □ OTHER □ DESCRIBE OTHER:
	THE RESIDENCE OF THE PROPERTY	HOWN! DIFICATION OF THE ACTUAL ITEMS TO B	
r knowledge represents the pr inperature ratings, and identific inufacture of these fittings is r in part and has been verified i	coduct for which regis cation markings are i egulated by a Quality by	emnly declare that the information conta tration is sought. The dimensions, mate n accordance with the herein named sta y Control Program which extends to each	being the person having full authority and ained in this form is true and to the best of priess of construction, pressure indards. I further declare that the hiplant where fabrication occurs in whole or that purpose and I make this solemn
nature of Declarer:	1-6 %		
	ity. Zheliang province. C	China	SSPACE FOR
nated before the at	1/67 9	USE I H	D D P A L E ELL
mmissioner of Oaths	AD 1		
Notary Public: (sign)		3 F	FICIAL SES
Notary Public: (sign)	This		FICIAL SEST
		s space for Regulatory Authority use alidated after ten (10) years from the da	
This reg	istration must be rev	space for Regulatory Authority use	
This reg	istration must be rev	space for Regulatory Authority use	
This reg RN:	istration must be rev the name of the Manufa de with two Statutery De ocumentation.	s space for Regulatory Authority use alidated after len (10) years from the da clurer.	by OA20755.5Y
OA20755.5	the name of the Manufa d with two Statutory De ocumentation.	s space for Regulatory Authority use alidated after Ien (10) years from the dated acturer.	te of acceptance.


NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Zhuji City Howhi A	Mr Conditioners Made Co., Ltd	
MANUFACTURERS ADDRESS:	Jinling Industrial A	rea, Ruanshi Town, Zhuji City, Zhajiang Province,	China
PLANT LOCATIONS:	Jinling Industrial A	rea, Ruanshi Town, Zhuli City, Zheliang Province.	
CATEGORY OF FITTIN	IGS TO BE REGIS	TERED. CIRCLE ONE CATEGORY DNLY	TITLE OF THE STANDARD OF CONSTRUCTS
B Flanges: all lianges C Valves: all line valves D Expansion joints, flaxible conne E Strainers, fitters, separators, ar F Measuring devices, including procesure transmitters G Certified capacity-rated pressur boilers, pressure vessets, piph H Pressure retaining components	ections, and hose as disteam traps essure gauges, levi e refief devices acc g and fusible plugs that do not fall into	el gauges, sight glasses, levels, or eptable as primary over pressure protection on one of the above categories	ASME B16.51
		3 D, (Meeting CNSD or ASME requirements)	
SHOW MANUFACTURERS NAME	TRADEMARK, OF	LOGO AS IT WILL APPEAR ON THE PRODUC	T TYPE OF CONSTRUCTION
Zhuji City Howhi Air Conditioners M HOWHI	ade Co., Ud	HOWH!"	FORGED C WELDED O WROUGHT ME CAST O OTHER O DESCRIBE OTHER
LIST OF SUPPORTING POOL	NTATION AND ISS	NTIFICATION OF THE ACTUAL ITEMS TO BE F	
v knowledge represents the pro- mperature ratings, and identifics	duct for which reg stion markings are sulated by a Quali	plemity declare that the information contain ilstration is sought. The dimensions, meteria in accordance with the herein named stand- ily Control Program which extends to each p	Is of construction, pressure ands. I further declare that the lant where fabrication occurs in whole
claration conscientlously believ	ng il to be true, a	nd knowing that it is of the same force and e	at purpose and I make this solemn flect as if made under oath.
nature of Declarer:	ma		
	Zheliano erbyince.	China USETHIS	SPACE PR
s 3rd day of July	AD	2016 OFFI	CIAL SEST
mmissioner of Oaths Notary Public: (sign)			554.00.00 (10.00
	Th	is space for Regulatory Authority use	
This regis	tration must be re	validated after ten (10) years from the date of	
RN: 0A20755.5	760		163.0
D#:15717	11/2	/ R	Northwest Territories EGISTERED
les: All fittings shall be registered in the Each category shall be subgoried in as and one copy of supporting doe The declaration shall be made by a ponsibility for the cuality of the sin Quality control programs shall be maximum interval of five (5) year	with two Statuthry D unjuntables. he be son having fu in added.	instance. THE BOIL	ESSEL ACT.
		PAIE	

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	NORTHWEST TERRITO	RIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Zhuji City Howhi Air	Conditioners Made Co., Ltd		
MANUFACTURERS ADDRESS		a, Ruenshi Town, Zhuji City, Zhejiar	ng Province. Ch	ina
PLANT LOCATIONS:	Jinling Industrial Area	Buanshi Town Zhui City Zhellan	on Descriptor Ch	
CATEGORY OF FITTIN	GS TO BE REGISTE	RED. CIRCLE ONE CATEGORY O	NLY	TITLE OF THE STANDARD OF CONSTRUCT
Valves: all fine valves Expansion joints, flexible conne Strainers, filters, separators, an Measuring devices, including pr pressure transmitters Certified capacity-rated pressure boilers, pressure vessels, piping	ections, and hose asset d steam traps ressure gauges, level of the relief devices accept a and fusible plurs	gauges, sight glasses, levels, or table as primary over pressure prote		ASME B16 51
H Pressure retaining components N Nuclear components: Class 1 F	That do not fall into on	e of the above categories D. [Meeting CNSC or ASME requi		
SHOW MANUFACTURERS NAME	TRADEMARK OD I	OGO AS IT WILL APPEAR ON TH	rements)	
The second residence of the second	INOVERMENT, UK I	OGO AS IT WILL APPEAR ON TH	E PRODUCT	TYPE OF CONSTRUCTION
Zhuji City Howhi Alt Conditioners M HOWHI	ade Co., Ltd	(9)		FORGEO WELDED WROUGHT V CASY OTHER DESCRIBE OTHER
		Howard		
IST OF SUPPORTING DOCUMEN	UTATION AND IDEN	IFICATION OF THE ACTUAL ITEM		
ECLARATION: H. Dies		ZHUJI CITY HOWHI AIR CA		
ponsibility for the quality of the knowledge represents the procuperature ratings, and identification for these fittings is regular part and has been verified by	tion markings are in julated by a Quality	ed by armly declare that the informatic ration is sought. The dimension accordance with the herein nar Control Program which extends	and being on contained in os, materials o med standards to each plant	the person having full authority and this form is true and to the best of f construction, pressure s. I further declare that the where fabrication occurs in whole
ponsibility for the quality of the knowledge represents the procuperature ratings, and identification for these fittings is regular part and has been verified by	end product do sole duct for which regist tion markings are in julated by a Quality	amnly declare that the information ration is sought. The dimensional accordance with the herein nar Control Program which extends	and being on contained in os, materials o med standards to each plant	the person having full authority and this form is true and to the best of f construction, pressure s. I further declare that the where fabrication occurs in whole
ponsibility for the quality of the knowledge represents the production of the production of the production of the production of these fittings is regularly and has been verified by claration conscientiously believing	end product do sole duct for which regist tion markings are in julated by a Quality	ed by the series of the series	and being on contained in its, materials of med standards to each plant lable for that p orce and effect	the person having full authority and this form is true and to the best of construction, pressure s. I further declare that the where fabrication occurs in whole surpose and I make this solemn t as if made under oath.
ponsibility for the quality of the knowledge represents the procuperature ratings, and identification and activation of these fittings is region part and has been verified by claration conscientiously believing the part and has been verified by claration conscientiously believing the part and has been verified by claration conscientiously believing the part and	end product do sold duct for which regist tition markings are in julated by a Quality CCIC ng it to be true, and Zheiiana province. Ct	ed by the series of the series	and being on contained in s. materials o med standards to each plant table for that porce and effect. THIS S	the person having full authority and this form is true and to the best of construction, pressure s. I further declare that the where fabrication occurs in whole surpose and I make this solemn tas if made under oath.
ponsibility for the quality of the knowledge represents the procuperature ratings, and identifical inufacture of these fittings is regin part and has been verified by claration conscientiously believing the procuper of Declarer: A	end product do sold duct for which regist tition markings are in julated by a Quality CCIC ng it to be true, and Zheisang province: Ct	ed by termination of the same for the same f	and being on contained in s. materials o med standards to each plant table for that porce and effect. THIS S	the person having full authority and this form is true and to the best of construction, pressure s. I further declare that the where fabrication occurs in whole surpose and I make this solemn tas if made under oath.
ponsibility for the quality of the knowledge represents the production of the knowledge represents the production of these fittings is region part and has been verified by eleration conscientiously believing the production of th	end product do sold duct for which regist tion markings are injulated by a Quality CCIC ng it to be true, and Zheisana province. Ct. AD. 20	ed by amily declare that the informatio ration is sought. The dimension is accordance with the herein nar Control Program which extends as being suit knowing that it is of the same to	and being on contained in s. materials of med standards to each plant table for that porce and effect. THIS SOFFICE	the person having full authority and this form is true and to the best of construction, pressure. I further declare that the where fabrication occurs in whole surpose and I make this solemn tas if made under oath.
ponsibility for the quality of the knowledge represents the procine parature ratings, and identification and has been verified by claration conscientiously believing that the process of the part and has been verified by claration conscientiously believing that the part and has been verified by claration conscientiously believing that the part and has been verified by claration conscientiously believing that the part and the part a	end product do sold duct for which regist tion markings are injulated by a Quality CCIC ng it to be true, and Zheisana province. Ct. AD. 20	ed by series and the information ration is sought. The dimension is accordance with the herein nar Control Program which extends as being suit knowing that it is of the same for the same	and being on contained in s. materials of med standards to each plant table for that porce and effect. THIS SOFFICE	the person having full authority and this form is true and to the best of construction, pressure. I further declare that the where fabrication occurs in whole surpose and I make this solemn tas if made under oath.
ponsibility for the quality of the knowledge represents the production of these fittings is region part and has been verified by cleration conscientiously believing the production of Declarer: Clared before me at Zhuii City	end product do sold duct for which regist tion markings are injulated by a Quality CCIC ng it to be true, and Zheisana province. Ct. AD. 20	ed by amily declare that the informatio ration is sought. The dimension is accordance with the herein nar Control Program which extends as being suit knowing that it is of the same to	and being on contained in s. materials of med standards to each plant table for that porce and effect of F F F C	the person having full authority and this form is true and to the best of construction, pressures. I further declare that the where fabrication occurs in whole purpose and I make this solemn tas if made under oath. PARE TO STATE TO STAT
ponsibility for the quality of the knowledge represents the procine parature ratings, and identification and has been verified by claration conscientiously believing that the process of the part and has been verified by claration conscientiously believing that the part and has been verified by claration conscientiously believing that the part and has been verified by claration conscientiously believing that the part and the part a	end product do sold duct for which regist tion markings are injulated by a Quality CCIC ng it to be true, and Zheisana province. Ct. AD. 20	ed by amily declare that the informatic ration is sought. The dimension accordance with the herein nar Control Program which extends as being suit knowing that it is of the same to 1018 DIS E 1018 1018 1018 1018 1018 1018 1018 1018 1018 1018 1018 1018	and being on contained in s. materials on med standards to each plant lable for that porce and effect of FIC	the person having full authority and this form is true and to the best of construction, pressure. I further declare that the where fabrication occurs in whole curpose and I make this solemn that if made under oath. PARS PROPERTY OF THE CONTROL O
ponsibility for the quality of the knowledge represents the procuperature ratings, and identifical nufacture of these fittings is regin part and has been verified by charation conscientiously believing the procuperature of Declarer: Character of	end product do sold duct for which regist to the true, and true, a	ed by semaly declare that the informatic ration is sought. The dimension is accordance with the herein nar Control Program which extends as being suit knowing that it is of the same to the same to the same for the	and being on contained in s. materials of med standards to each plant table for that porce and effect of the contained of the	the person having full authority and this form is true and to the best of construction, pressure s. I further declare that the where fabrication occurs in whole surpose and I make this solemn tas if made under oath. PALS THE SOLEMAN AND
ponsibility for the quality of the knowledge represents the proc inperature ratings, and identification and another through the fittings is region part and has been verified by obtaviously believing that the fittings is region part and has been verified by obtaviously believing that the fittings is region part and has been verified by obtaviously believing that the fittings is region and the fittings in the fit	end product do sold duct for which regist tion markings are in julialed by a Quality CCIC ng it to be true, and Zheisang province Ct AD Zimp to the land product with two Statutory Declaration.	ed by the property of the company of	and being on contained in s. materials of seach plant table for that porce and effect of the seach plant table for that porce and effect of the seach plant table for that porce and effect of the seach plant table for that porce and effect of the seach plant table for the seach	the person having full authority and this form is true and to the best of construction, pressure. I further declare that the where fabrication occurs in whole curpose and I make this solemn that if made under oath. PARE BELLANDERS ACT



TECHNICAL STANDARDS & SAFETY AUTHORITY

14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4





STATUTORY DECLARATION **Registration of Fittings** I. He, Ping, President / Legal represent (Name and Position, e.g. President, Plant Manager, Chief Engineer) of Zhuji City Howhi Air Conditioners Made Co., Ltd (Name of Manufacturer) Located at Jinling Industrial Area, Ruanshi Town, Zhuji City, Zhejiang Province 189 5757 6652 86-575-87697733 (Plant Address) (Fax No.) do solemnly declare that the fittings listed hereunder, which are subject to the *Technical Standards and Safety Act*, Boilers and Pressure Vessels Regulation, comply with all of the requirements of **ASME B16.51** (Title of recognized North American Standard) which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service; or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service. I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ___ISO 9001 which has been verified by the following authority, CCIC The items covered by this declaration, for which I seek registration, are category A _ type fittings. In support of this application, the following information and/or test data are attached as follows: Product Catalog, Test Report, ISO 9001 Certificate (drawings, calculations, test reports, etc.) Declared before me at ZHUTI CITY in the ZHETIANG PROVINCE of CHINA ____ day of <u>July</u>____AD 20_18___. Commissioner for Oaths: (Printed name) (Signature) FOR OFFICE USE ONLY Technical Boilers and To the best of my knowledge and belief, the application meets the requirements of the Standards Pressure Vessels Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and and Safety Safety Program CSA Standard B51 and is according for registration in Category Authority CRN:

PV 09553 (06/14) PRESSURE COPPER FITTINGS HOWH! Catalog lych



345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel., 416,734 3300 Fax: 416,231 1626 Toll Free: 1,877 682 8772

www.tssa.org

October 04, 2018

CHARLES LIU KEDKEP CONSULTING INC 2296 LYNDHURST DR OAKVILLE ON L6H 7V5 CA

Service Request Type: BPV-Fitting Registration

Service Request No.: 2383572 Your Reference No.: 2014223

Registered to: ZHUJI CITY HOWHI AIR CONDITIONERS MADE CO., LTD

Dear CHARLES LIU,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.: 0A20755.5

Main Design No.: HOWHI Catalog - Pressure Copper Fittings compliant with ASME B16.51 standard

Expiry Date: 04-Oct-2028

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Mark Valcic

Engineer Specialist BPV Tel.: 416-734-3494 Fax: 416-231-6183 Email: mvalcic@tssa.org



Safely / Quickly / Easy

www.cethowhi.com

Howhi Air Conditioners Made Co., Ltd.

Transfed Str. Conserve

♦

Jinling Industrial Zone, Rusnshi Towu, Zhuji City, Zhejiang Province, China

Tel: 89-573-97606655
86-725-55488049
7ax: 86-575-97697733
86-755-25488048(Operator)
86-755-51678905:1791(Auto)
€: mail: wfo@cnhowfil.com Zip: 311800



Montréal, 7 novembre 2018

MONSIEUR CHARLES LIU KEDKEP CONSULTING INC. 2296 LYNDHURST DR. OAKVILLE ONTARIO CANADA L6H 7V5

Fabricant: ZHUJI CITY HOWHI AIR CONDITIONERS MADE

JINLING INDUSTRIAL AREA

ZHUJI ZHEJIANG CHINA 311802

Numéro de dossier : 953394

Numéro(s) de dessin (s): HOWHI CATALOG - PRESSURE COPPER FITTINGS COMPLAINT WITH ASME

B16.51 STANDARD RÉF# : 2014223

Objet: Enregistrement des plans et devis - Confirmation de l'enregistrement

Monsieur,

La Régie du bâtiment du Québec (RBQ) vous informe que votre demande d'enregistrements de plans et devis a été traitée et que cette conception a été enregistrée sous le numéro d'enregistrement canadien (NEC\CRN) : 0A20755.56.

Nous portons à votre attention cette exigence applicable à la règlementation sur les appareils sous pression et des codes et normes qui y sont associés :

 Le constructeur doit maintenir un système de contrôle de la qualité valide pour fabriquer selon ce NEC.

Le présent avis d'approbation ne dégage pas le constructeur de ses responsabilités quant à la conception ou à la construction des équipements fabriqués selon ce NEC.

Salutations distinguées,

Bureau d'expertise et d'homologation en équipements sous pression

N.B. Translation of this communication below.



Montréal, 7 novembre 2018

MONSIEUR CHARLES LIU KEDKEP CONSULTING INC. 2296 LYNDHURST DR. OAKVILLE ONTARIO CANADA L6H 7V5

Manufacturer: ZHUJI CITY HOWHI AIR CONDITIONERS MADE

JINLING INDUSTRIAL AREA

ZHUJI ZHEJIANG CHINA 311802

Our reference: 953394

Design number: HOWHI CATALOG - PRESSURE COPPER FITTINGS COMPLAINT WITH ASME B16.51

STANDARD RÉF#: 2014223

Subject: Registration of designs – Confirmation of approval

Dear Sir.

The Régie du bâtiment du Québec (RBQ) informs you that your application for the registration of designs has been evaluated and that the design was registered under the Canadian Registration Number (CRN\NEC): 0A20755.56.

We bring your attention this requirement of the regulation respecting pressure vessels, and the codes and standards adopted :

 The manufacturer must maintain a valid quality control program to produce according to the CRN.

This notice of approval does not relieve the constructor of his responsibilities with respect to the design or construction of equipment manufactured according to this CRN.

Yours sincerely,

Bureau d'expertise et d'homologation en équipements sous pression