



**LISTE DE PRIX BMI CANADA RACCORDS
CUIVRÉS OUVRÉS - TYPE PRESSION**

**CWR
24-1**

3 juillet 2024




MANCHONS OUVRÉS C x C			
#BMI	Taille	Emballage	\$
37001	1/8	25/5000	9.58
37002	1/4	25/2000	8.22
37003	3/8	25/1200	11.56
37004	1/2	25/800	10.99
37013	5/8	25/400	25.69
37005	3/4	25/300	23.81
37006	1	10/150	53.27
37007	1 1/4	1/80	62.36
37008	1 1/2	1/60	99.77
37009	2	1/40	192.05
37010	2 1/2	1/25	293.92
37011	3	1/12	471.67
37012	4	1/5	958.88
37017	6	1/3	4 579.74



MANCHONS OUVRÉS RÉDUITS C x C			
#BMI	Taille	Emballage	\$
37015	1/4 x 1/8	25/2000	62.91
37016	3/8 x 1/4	25/400	60.85
37021	1/2 x 1/8	25/1000	38.00
37020	1/2 x 1/4	25/800	26.47
37019	1/2 x 3/8	25/800	26.47
37022	5/8 x 3/8	25/600	67.86
37018	5/8 x 1/2	25/500	65.15
37025	3/4 x 1/4	25/400	74.36
37024	3/4 x 3/8	25/400	79.68
37023	3/4 x 1/2	25/350	27.08
37062	3/4 x 5/8	25/350	33.10
37028	1 x 1/2	10/200	74.38
37063	1 x 5/8	10/200	148.78
37027	1 x 3/4	10/160	52.80
37033	1 1/4 x 1/2	1/100	157.51
37032	1 1/4 x 3/4	1/100	119.68
37031	1 1/4 x 1	1/100	88.35
37038	1 1/2 x 1/2	1/100	215.19
37037	1 1/2 x 3/4	1/100	163.46
37036	1 1/2 x 1	1/100	190.41
37035	1 1/2 x 1 1/4	1/70	131.05
37044	2 x 1/2	1/30	276.01
37043	2 x 3/4	1/50	257.04
37042	2 x 1	1/50	250.84
37041	2 x 1 1/4	1/50	202.97
37040	2 x 1 1/2	1/50	202.97
37049	2 1/2 x 1	1/30	471.81
37047	2 1/2 x 1 1/2	1/30	449.29
37046	2 1/2 x 2	1/30	449.29
37053	3 x 1 1/2	1/20	561.42
37052	3 x 2	1/20	561.42
37051	3 x 2 1/2	1/15	561.42
37058	4 x 2	1/6	1 386.06
37057	4 x 2 1/2	1/6	1 386.06
37056	4 x 3	1/18	1 386.06
37066	6 x 3	1/3	5 412.46
37065	6 x 4	1/1	7 973.64




MANCHONS OUVRÉS C x C SANS ARRÊT			
#BMI	Taille	Emballage	\$
37074	1/2	25/800	12.68
37075	3/4	25/300	29.02
37076	1	10/150	56.93
37077	1 1/4	1/100	79.38
37078	1 1/2	1/60	118.63
37079	2	1/40	210.66
37080	2 1/2	1/50	332.52



MANCHONS OUVRÉS C x C AVEC ARRÊT			
#BMI	Taille	Emballage	\$
37091	1/8	25/5000	14.96
37082	1/4	25/2000	15.31
37083	3/8	25/1200	12.94
37084	1/2	25/800	12.94
37093	5/8	25/400	24.48
37085	3/4	25/300	29.02
37086	1	10/150	57.44
37087	1 1/4	1/100	79.36
37088	1 1/2	1/60	119.55
37089	2	1/40	216.77


RACCORDS CUIVRÉS OUVRÉS - TYPE PRESSION




RÉDUCTEURS OUVRÉS RACCORD x C			
#BMI	Taille	Emballage	\$
37116	3/8 x 1/4	25/1200	37.88
37120	1/2 x 1/4	25/1000	22.32
37119	1/2 x 3/8	25/1000	22.32
37123	3/4 x 1/2	25/400	26.96
37162	3/4 x 5/8	25/400	46.82
37128	1 x 1/2	10/200	70.46
37163	1 x 5/8	10/170	146.89
37127	1 x 3/4	10/160	49.76
37133	1 1/4 x 1/2	1/100	146.89
37132	1 1/4 x 3/4	1/100	114.24
37131	1 1/4 x 1	1/100	92.13
37138	1 1/2 x 1/2	1/100	185.85
37137	1 1/2 x 3/4	1/100	150.02
37136	1 1/2 x 1	1/100	150.02
37135	1 1/2 x 1 1/4	1/70	122.38
37144	2 x 1/2	1/50	247.65
37143	2 x 3/4	1/50	257.77
37142	2 x 1	1/50	230.80
37141	2 x 1 1/4	1/50	211.66
37140	2 x 1 1/2	1/50	211.66
37149	2 1/2 x 1	1/30	421.55
37148	2 1/2 x 1 1/4	1/30	421.55
37147	2 1/2 x 1 1/2	1/30	421.55
37146	2 1/2 x 2	1/30	421.55
37154	3 x 1 1/4	1/20	618.15
37153	3 x 1 1/2	1/20	561.09
37152	3 x 2	1/20	546.83
37151	3 x 2 1/2	1/15	546.83
37158	4 x 2	1/20	1 175.62
37157	4 x 2 1/2	1/6	1 277.84
37156	4 x 3	1/6	1 175.62
37166	6 x 3	1/4	11 864.59



COUDES OUVRÉS 45° C x C			
#BMI	Taille	Emballage	\$
37201	1/8	25/2000	140.62
37202	1/4	25/1200	80.10
37203	3/8	25/800	79.56
37204	1/2	25/500	22.95
37213	5/8	25/300	103.29
37205	3/4	25/200	40.06
37206	1	10/100	87.15
37207	1 1/4	1/60	123.28
37208	1 1/2	1/40	176.83
37209	2	1/18	289.34
37210	2 1/2	1/20	734.96
37211	3	1/6	1 070.43
37212	4	1/3	2 155.44
37214	6	1/1	10 234.30




COUDES OUVRÉS 45° RACCORD x C			
#BMI	Taille	Emballage	\$
37252	1/4	25/1200	100.99
37254	1/2	25/500	23.34
37282	5/8	25/300	187.38
37255	3/4	25/200	41.16
37256	1	10/100	120.34
37257	1 1/4	1/60	157.99
37258	1 1/2	1/40	205.80
37259	2	1/18	345.74
37260	2 1/2	1/20	977.78
37261	3	1/15	1 274.20
37262	4	1/3	5 882.05




COUDES OUVRÉS 90° C x C			
#BMI	Taille	Emballage	\$
37301	1/8	25/3450	59.96
37302	1/4	25/1200	40.04
37303	3/8	25/1000	36.76
37304	1/2	25/500	16.31
37313	5/8	25/300	81.98
37305	3/4	25/200	38.43
37306	1	10/100	70.39
37307	1 1/4	1/50	113.52
37308	1 1/2	1/35	180.61
37309	2	1/18	321.71
37310	2 1/2	1/10	916.04
37311	3	1/6	1 224.82
37312	4	1/2	2 604.03
37317	6	1/1	11 033.33

COUDES 90° RÉDUIT Cx C			
#BMI	Taille	Emballage	\$
37319	1/2 x 3/8	25/500	170.27
37323	3/4 x 1/2	25/200	61.70
37328	1 x 1/2	10/80	182.72
37327	1 x 3/4	10/80	120.34
37332	1 1/4 x 3/4	20/120	333.28




COUDES OUVRÉS 90° RACCORD x C			
#BMI	Taille	Emballage	\$
37342	1/4	25/800	66.74
37353	3/8	25/800	49.06
37354	1/2	25/500	22.38
37382	5/8	25/300	84.59
37355	3/4	25/200	41.34
37356	1	10/100	86.89
37357	1 1/4	1/50	209.88
37358	1 1/2	1/35	242.70
37359	2	1/17	411.12
37360	2 1/2	1/20	939.69
37361	3	1/13	1 351.55
37362	4	1/6	3 043.94

RACCORDS CUIVRÉS OUVRÉS - TYPE PRESSION




ADAPTATEURS OUVRÉS C x M			
#BMI	Taille	Emballage	\$
37803	3/8	25/1000	125.78
37804	1/2	25/600	46.76
37805	3/4	25/250	67.35
37806	1	10/150	146.73
37807	1 1/4	1/80	202.73
37808	1 1/2	1/65	263.19
37809	2	1/38	379.96
37810	2 1/2	1/48	1 276.79
37811	3	1/36	1 516.14
37812	4	1/12	3 325.43


ADAPTATEURS OUVRÉS RÉDUITS C x M			
#BMI	Taille	Emballage	\$
37817	3/8 x 1/2	25/500	114.72
37826	1/2 x 1/4	25/1000	91.82
37818	1/2 x 3/8	25/800	91.82
37822	1/2 x 3/4	25/250	101.58
37821	1/2 x 1	10/150	211.86
37823	3/4 x 1/2	25/250	130.87
37827	3/4 x 1	10/150	159.75
37832	1 x 1/2	10/180	258.13
37833	1 x 3/4	10/150	252.22
37831	1 x 1 1/4	1/85	393.21
37830	1 x 1 1/2	1/95	423.73
37837	1 1/4 x 3/4	1/120	293.91
37836	1 1/4 x 1	1/120	253.63
37835	1 1/4 x 1 1/2	1/90	440.21
37840	1 1/2 x 1	1/120	577.99
37839	1 1/2 x 1 1/4	1/60	352.16
37842	1 1/2 x 2	1/55	660.92



ADAPTATEURS OUVRÉS RACCORD x M			
#BMI	Taille	Emballage	\$
37884	1/2	25/500	104.34
37885	3/4	25/250	155.64
37886	1	10/130	180.01
37887	1 1/4	10/80	563.76
37888	1 1/2	1/50	640.09
37889	2	1/38	1 103.31




RACCORDS x FIPS DOUILLE À FLEUR OUVRÉS			
#BMI	Taille	Emballage	\$
37170	1/2 x 1/8	25/1000	70.29
37169	1/2 x 1/4	25/1000	70.29




ADAPTATEURS OUVRÉS C x F			
#BMI	Taille	Emballage	\$
37702	1/4	25/1500	107.90
37703	3/8	25/800	79.98
37704	1/2	25/450	55.42
37705	3/4	25/200	109.47
37706	1	10/140	172.73
37707	1 1/4	1/80	309.93
37708	1 1/2	1/60	340.00
37709	2	1/30	472.56
37710	2 1/2	1/24	1 580.38
37711	3	1/28	2 279.98

ADAPTATEURS OUVRÉS RÉDUITS C x F			
#BMI	Taille	Emballage	\$
37719	1/2 x 1/4	25/800	77.82
37718	1/2 x 3/8	25/800	89.49
37717	1/2 x 3/4	25/300	117.66
37723	3/4 x 1/2	25/300	116.24
37722	3/4 x 1	10/140	187.68
37728	1 x 1/2	10/150	283.52
37727	1 x 3/4	10/150	193.95
37726	1 x 1 1/4	1/85	335.38
37734	1 1/4 x 3/4	1/120	377.38
37733	1 1/4 x 1	1/120	429.54
37732	1 1/4 x 1 1/2	1/100	451.39
37736	1 1/2 x 1 1/4	1/70	431.96
37742	1 1/2 x 2	1/60	718.69




ADAPTATEURS OUVRÉS RACCORD x F			
#BMI	Taille	Emballage	\$
37784	1/2	25/500	107.04
37785	3/4	25/250	123.84
37786	1	10/140	189.55
37787	1 1/4	1/85	323.68
37788	1 1/2	1/80	486.84
37789	2	1/40	619.98
37791	3/4 x 1/2	25/250	129.72




**Maintenant en
cuvre ouvré!**

UNIONS OUVRÉS C x C			
#BMI	Taille	Emballage	\$
37104	1/2	25/250	142.95
37105	3/4	25/100	285.12
37106	1	10/60	400.62
37107	1 1/4	5/45	594.04
37108	1 1/2	5/25	836.66
37109	2	1/20	1 352.29

RACCORDS CUIVRÉS OUVRÉS - TYPE PRESSION



CAPUCHONS OUVRÉS EN CUIVRE			
#BMI	Taille	Emballage	\$
37502	1/4	25/2000	15.32
37503	3/8	25/1500	22.43
37504	1/2	25/1400	9.52
37513	5/8	25/850	28.08
37505	3/4	25/500	22.11
37506	1	10/300	51.54
37507	1 1/4	1/160	72.08
37508	1 1/2	1/140	104.73
37509	2	1/60	187.68
37510	2 1/2	1/50	523.50
37511	3	1/30	713.84
37512	4	1/25	1 336.60



TÈS OUVRÉS CCC			
37401	1/8	25/2000	110.41
37402	1/4	25/1300	110.41
37403	3/8	25/600	82.24
37404	1/2	25/300	29.85
37413	5/8	25/200	166.31
37405	3/4	10/120	65.17
37406	1	10/60	139.22
37407	1 1/4	1/35	199.50
37408	1 1/2	1/20	299.74
37409	2	1/10	529.81
37410	2 1/2	1/15	997.52
37411	3	1/10	1 787.45
37412	4	1/2	3 516.34
37414	6	1/1	15 729.68




TÈS OUVRÉS RÉDUITS CCC			
3/8", 1/2", 3/4"			
37417	3/8 x 3/8 x 1/4	25/600	190.80
37421	1/2 x 1/2 x 3/8	25/400	150.42
37420	1/2 x 1/2 x 3/4	10/180	105.13
37419	1/2 x 1/2 x 1	10/70	288.89
37431	3/4 x 1/2 x 1/2	10/180	83.94
37430	3/4 x 1/2 x 3/4	10/120	86.82
37429	3/4 x 3/4 x 1/2	10/170	88.51
37428	3/4 x 3/4 x 1	10/80	236.51
1"			
37450	1 x 1/2 x 1/2	10/100	199.61
37449	1 x 1/2 x 3/4	10/80	199.58
37448	1 x 1/2 x 1	10/60	189.55




TÈS OUVRÉS RÉDUITS CCC			
1"			
37445	1 x 3/4 x 1/2	10/60	189.55
37443	1 x 3/4 x 3/4	10/60	189.55
37442	1 x 3/4 x 1	10/60	189.55
37439	1 x 1 x 1/2	10/100	138.94
37438	1 x 1 x 3/4	10/60	138.94
37437	1 x 1 x 1 1/4	1/35	351.44
37436	1 x 1 x 1 1/2	1/25	791.37
1 1/4"			
37465	1 1/4 x 1/2 x 1 1/4	1/35	340.73
37463	1 1/4 x 3/4 x 3/4	1/50	284.51
37462	1 1/4 x 3/4 x 1	1/45	302.67
37461	1 1/4 x 3/4 x 1 1/4	1/35	340.75
37460	1 1/4 x 1 x 1/2	1/60	284.51
37459	1 1/4 x 1 x 3/4	1/50	284.51
37458	1 1/4 x 1 x 1	1/50	284.51
37457	1 1/4 x 1 x 1 1/4	1/30	284.51
37455	1 1/4 x 1 1/4 x 1/2	1/50	201.22
37454	1 1/4 x 1 1/4 x 3/4	1/50	201.22
37453	1 1/4 x 1 1/4 x 1	1/40	201.22
37451	1 1/4 x 1 1/4 x 1 1/2	1/20	490.94
1 1/2"			
37490	1 1/2 x 1/2 x 1 1/2	1/20	461.42
37489	1 1/2 x 3/4 x 1/2	1/40	523.48
37488	1 1/2 x 3/4 x 3/4	1/40	450.99
37487	1 1/2 x 3/4 x 1	1/40	450.99
37485	1 1/2 x 3/4 x 1 1/4	1/30	483.21
37486	1 1/2 x 3/4 x 1 1/2	1/20	450.99
37484	1 1/2 x 1 x 1/2	1/40	475.16
37483	1 1/2 x 1 x 3/4	1/30	450.99
37482	1 1/2 x 1 x 1	1/35	450.99
37481	1 1/2 x 1 x 1 1/4	1/20	463.08
37480	1 1/2 x 1 x 1 1/2	1/20	450.99
37479	1 1/2 x 1 1/4 x 1/2	1/40	450.99
37478	1 1/2 x 1 1/4 x 3/4	1/40	450.99
37477	1 1/2 x 1 1/4 x 1	1/30	450.99
37476	1 1/2 x 1 1/4 x 1 1/4	1/30	450.99
37475	1 1/2 x 1 1/4 x 1 1/2	1/20	450.99
37474	1 1/2 x 1 1/2 x 1/2	1/40	292.12
37473	1 1/2 x 1 1/2 x 3/4	1/35	278.04
37472	1 1/2 x 1 1/2 x 1	1/35	301.06
37471	1 1/2 x 1 1/2 x 1 1/4	1/25	315.88
37470	1 1/2 x 1 1/2 x 2	1/10	876.72
2"			
37532	2 x 1/2 x 2	1/15	877.27
37529	2 x 3/4 x 2	1/10	877.27
37527	2 x 1 x 1	1/20	986.98
37525	2 x 1 x 2	1/15	988.85
37524	2 x 1 1/4 x 1	1/20	700.88
37523	2 x 1 1/4 x 1 1/4	1/15	672.84
37522	2 x 1 1/4 x 2	1/10	791.39

RACCORDS CUIVRÉS OUVRÉS - TYPE PRESSION




TÉS OUVRÉS RÉDUITS CCC			
#BMI	Taille	Emballage	\$
2"			
37520	2 x 1 1/2 x 3/4	1/20	805.38
37519	2 x 1 1/2 x 1	1/20	641.24
37518	2 x 1 1/2 x 1 1/4	1/10	641.24
37517	2 x 1 1/2 x 1 1/2	1/10	641.24
37516	2 x 1 1/2 x 2	1/10	658.07
37498	2 x 2 x 1/2	1/20	488.06
37497	2 x 2 x 3/4	1/20	500.79
37496	2 x 2 x 1	1/18	536.05
37495	2 x 2 x 1 1/4	1/15	555.60
37491	2 x 2 x 1 1/2	1/10	577.59
2 1/2"			
37545	2 1/2 x 1 1/2 x 1 1/2	1/10	1 996.68
37544	2 1/2 x 1 1/2 x 2 1/2	1/20	1 661.86
37542	2 1/2 x 2 x 1 1/2	1/10	1 618.50
37541	2 1/2 x 2 x 2	1/8	1 618.50
37540	2 1/2 x 2 x 2 1/2	1/15	1 618.50
37539	2 1/2 x 2 1/2 x 1/2	1/25	1 116.78
37538	2 1/2 x 2 1/2 x 3/4	1/15	1 116.78
37537	2 1/2 x 2 1/2 x 1	1/12	1 116.78
37536	2 1/2 x 2 1/2 x 1 1/4	1/20	1 116.78
37535	2 1/2 x 2 1/2 x 1 1/2	1/20	1 116.78
37534	2 1/2 x 2 1/2 x 2	1/8	1 116.78



TÉS OUVRÉS RÉDUITS CCC			
#BMI	Taille	Emballage	\$
3"			
37560	3 x 2 x 2	1/15	1 996.68
37561	3 x 2 1/2 x 2	1/15	2 214.24
37562	3 x 2 1/2 x 2 1/2	1/15	2 214.24
37555	3 x 3 x 1/2	1/10	1 717.98
37554	3 x 3 x 3/4	1/20	1 717.98
37553	3 x 3 x 1	1/6	1 799.35
37552	3 x 3 x 1 1/4	1/15	1 799.35
37551	3 x 3 x 1 1/2	1/6	1 799.35
37550	3 x 3 x 2	1/13	1 799.35
37549	3 x 3 x 2 1/2	1/10	1 952.13
4", 6"			
37579	4 x 3 x 3	1/5	5 020.39
37576	4 x 4 x 3/4	1/4	3 705.26
37575	4 x 4 x 1	1/8	4 239.07
37574	4 x 4 x 1 1/4	1/8	3 516.86
37573	4 x 4 x 1 1/2	1/8	3 516.86
37572	4 x 4 x 2	1/6	3 516.86
37571	4 x 4 x 2 1/2	1/5	3 516.86
37570	4 x 4 x 3	1/2	3 760.51
37669	6 x 6 x 4	1/1	14 952.39



COUDES LONG RAYON CxC 90°			
37901	1/8	25/2000	106.84
37902	1/4	25/1200	53.12
37903	3/8	25/650	63.66
37904	1/2	25/350	57.09
37913	5/8	25/200	57.85
37905	3/4	10/120	71.79
37906	1	10/70	138.88
37907	1 1/4	1/35	240.93
37908	1 1/2	1/25	371.62
37909	2	1/12	634.92



COUDES LONG RAYON RAC. x 90°			
37951	1/8	25/2000	150.38
37952	1/4	25/1200	66.98
37953	3/8	25/750	124.60
37954	1/2	25/350	83.03
37963	5/8	25/200	98.18
37955	3/4	10/120	99.14
37956	1	10/60	161.00
37957	1 1/4	1/35	237.62
37958	1 1/2	1/25	447.35
37959	2	1/12	643.59